

Chronischer Schmerz nach der Geburt – ein Problem?

Hebammenforum 1/2018; 19: 38–42

- 1 Kehlet H, Jensen TS, Woolf CJ: Persistent postsurgical pain: risk factors and prevention. *Lancet* 2006; 367: 1618–25
- 2 Vermelis JM et al.: Prevalence and predictors of chronic pain after labor and delivery. *Curr Opin Anaesthesiol* 2010; 23: 295–9
- 3 Loos MJ et al.: The Pfannenstiel incision as a source of chronic pain. *Obstet Gynecol* 2008 Apr; 111 (4): 839–46
- 4 Schünke M et al.: Prometheus – Allgemeine Anatomie und Bewegungssystem. Thieme Verlag 2014
- 5 Richez B et al.: The Role of Psychological Factors in Persistent Pain After Cesarean Delivery. *J Pain* 2015 Nov; 16 (11): 1136–46
- 6 Bamigboye AA, Hofmeyr GJ: Closure versus non-closure of the peritoneum at caesarean section: short- and long-term outcomes. *Cochrane Database Syst Rev.* 2014 Aug 11; (8)
- 7 Althaus A et al.: Development of a risk index for the prediction of chronic post-surgical pain. *Eur J Pain* 2012; 16 (6): 901–010
- 8 Lautenbacher S et al.: Hypervigilance as predictor of postoperative acute pain: its predictive potency compared with experimental pain sensitivity, cortisol reactivity, and affective state. *Clin J Pain* 2009 Feb; 25 (2): 92–100
- 9 Declercq E et al.: Mothers' Reports of Postpartum Pain Associated with Vaginal and Cesarean Deliveries: Results of a National Survey. *Birth* 2008 Mar; 35 (1): 16–24
- 10 Kainu JP et al.: Persistent Pain After Cesarean Delivery and Vaginal Delivery: A Prospective Cohort Study. *Anesthesia & Analgesia* 2016 Dec; 123 (6): 1535–1545
- 11 Eisenach JC et al.: Resolution of Pain after Childbirth. *Anesthesiology* 2013 Jan; 118 (1): 143–151
- 12 Dualé C et al.: Neuropathic Aspects of Persistent Postsurgical Pain: A French Multicenter Survey With a 6-Month Prospective Follow-Up. *J Pain* 2014 Jan; 15(1): 24.e1–24.e20
- 13 Macarthur A, Macarthur C: Incidence, severity, and determinants of perinatal pain after vaginal delivery: cohort study. *Am J Obstet Gynecol* 2004; 191(4): 1199–204
- 14 Gutierrez S et al.: Reversal of peripheral nerve injury-induced hypersensitivity in the postpartum period: role of spinal oxytocin. *Anesthesiology* 2013 Jan; 118 (1): 152–9
- 15 Montes A et al.: Genetic and Clinical Factors Associated with Chronic Postsurgical Pain after Hernia Repair, Hysterectomy, and Thoracotomy: A Two-year Multicenter Cohort Study. *Anesthesiology* 2015 May; 122 (5): 1123–41