

# Auch Väter brauchen Nähe

Hebammenforum 8/2018; 19: 894–900

- 1 Abraham E, Hendler T, Shapira-Lichter I, Kanat-Maymon Y, Zagoory-Sharon O, Feldman R: Father's brain is sensitive to childcare experiences. *Proc Natl Acad Sci U S A*. 2014; 111(27): 9792–9797. doi:10.1073/pnas.1402569111
- 2 Achieving skin to skin contact in theatre for healthy newborns. *Pract Midwife*. 2015; 18(6): 9–10, 12
- 3 Anisfeld E, Casper V, Nozyce M, Cunningham N: Does infant carrying promote attachment? An experimental study of the effects of increased physical contact on the development of attachment. *Child Dev*. 1990; 61(5): 1617–1627
- 4 Bigelow AE, Power M, Gillis DE, Maclellan-Peters J, Alex M, McDonald C: Breastfeeding, skin-to-skin contact, and mother-infant interactions over infants' first three months. *Infant Ment Health J*. 2014; 35(1): 51–62. doi:10.1002/imhj.21424
- 5 Bigelow AE, Power M, MacLean K et al.: Mother-Infant Skin-to-Skin Contact and Mother-Child Interaction Nine Years Later. *Soc Dev. o(ja)*. doi:10.1111/sode.12307
- 6 Bigelow A, Power M, MacLellan-Peters J, Alex M, McDonald C: Effect of mother/infant skin-to-skin contact on postpartum depressive symptoms and maternal physiological stress. *J Obstet Gynecol Neonatal Nurs JOGNN NAACOG*. 2012; 41(3): 369–382. doi:10.1111/j.1552-6909.2012.01350.x
- 7 Bigelow AE, Power M: The effect of mother-infant skin-to-skin contact on infants' response to the Still Face Task from newborn to three months of age. *Infant Behav Dev*. 2012; 35(2): 240–251. doi:10.1016/j.infbeh.2011.12.008
- 8 Bystrova K, Ivanova V, Edhborg M et al.: Early contact versus separation: effects on mother-infant interaction one year later. *Birth Berkeley Calif*. 2009; 36(2): 97–109. doi:10.1111/j.1523-536X.2009.00307.x
- 9 Bystrova K, Matthiesen A-S, Vorontsov I, Widström A-M, Ransjö-Arvidson A-B, Uvnäs-Moberg K: Maternal axillar and breast temperature after giving birth: effects of delivery ward practices and relation to infant temperature. *Birth Berkeley Calif*. 2007; 34(4): 291–300. doi:10.1111/j.1523-536X.2007.00187.x
- 10 Bystrova K, Widström AM, Matthiesen AS et al.: Skin-to-skin contact may reduce negative consequences of »the stress of being born«: a study on temperature in newborn infants, subjected to different ward routines in St. Petersburg. *Acta Paediatr Oslo Nor 1992*. 2003; 92(3): 320–326
- 11 Cabrera N, Shannon J, C T-L: Fathers' Influence on Their Children's Cognitive and Emotional Development: From Toddlers to Pre-K. *Appl Dev Sci*. 2007; 11: 208–213
- 12 Cassidy J, Shaver PR: *Handbook of Attachment, Third Edition: Theory, Research, and Clinical Applications*. Guilford Publications; 2016
- 13 Chen E-M, Gau M-L, Liu C-Y, Lee T-Y: Effects of Father-Neonate Skin-to-Skin Contact on Attachment: A Randomized Controlled Trial. *Nurs Res Pract*. 2017; 2017: e8612024. doi:10.1155/2017/8612024
- 14 Chermont AG, Falcão LFM, de Souza Silva EHL, de Cássia Xavier Balda R, Guinsburg R: Skin-to-skin contact and/or oral 25% dextrose for procedural pain relief for term newborn infants. *Pediatrics*. 2009; 124(6): e1101–e1107. doi:10.1542/peds.2009-0993
- 15 Chi Luong K, Long Nguyen T, Huynh Thi DH, Carrara HPO, Bergman NJ: Newly born low birthweight infants stabilise better in skin-to-skin contact than when separated from their mothers: a randomised controlled trial. *Acta Paediatr Oslo Nor 1992*. 2016; 105(4): 381–390. doi:10.1111/apa.13164
- 16 Cong X, Ludington-Hoe SM, Hussain N et al.: Parental oxytocin responses during skin-to-skin contact in pre-term infants. *Early Hum Dev*. 2015; 91(7): 401–406. doi:10.1016/j.earlhumdev.2015.04.012
- 17 Feldman R, Rosenthal Z, Eidelman AI: Maternal-preterm skin-to-skin contact enhances child physiologic organization and cognitive control across the first 10 years of life. *Biol Psychiatry*. 2014; 75(1): 56–64. doi:10.1016/j.biopsych.2013.08.012
- 18 Fitzgerald HE, Bocknek EL, Hossain Z, Roggman L: Reflections on fathers and infant mental health. *Infant Ment Health J*. 2015; 36(1): 75–77. doi:10.1002/imhj.21494
- 19 Grossmann K, Grossmann KE, Kindler H, Zimmermann P: A wider view of attachment and exploration: The influence of mothers and fathers on the development of psychological security from infancy to young adulthood. In: Cassidy J, Shaver PR, eds. *Handbook of Attachment: Theory, Research, and Clinical Applications*, 2nd Ed. New York, NY, US: Guilford Press; 2008: 857–879
- 20 Grossmann KE, Grossmann K: The development of psychological security in attachment--results and conclusions for therapy. *Z Psychosom Med Psychother*. 2007; 53(1): 9–28. doi:10.13109/zptm.2007.53.1.9
- 21 Guina J: The Talking Cure of Avoidant Personality Disorder: Remission through Earned-Secure Attachment. *Am J Psychother*. 2016; 70(3): 233–250
- 22 Hesse E: The Adult Attachment Interview: Protocol, Method of Analysis, and Empirical Studies: 1985–2015. In: Cassidy J, Shaver PR, eds. *Handbook of Attachment*. Guildford Press; 2016
- 23 Jones H, Santamaria N: Physiological benefits to parents from undertaking skin-to-skin contact with their neonate, in a neonatal intensive special care unit. *Scand J Caring Sci*. November 2017. doi:10.1111/scs.12543

- 24 Klaus MH & K John H: Maternal-Infant Bonding. C.V. Mosby Company; 1976
- 25 Koren-Karie N, Oppenheim D: Parental insightfulness: retrospect and prospect. *Attach Hum Dev.* 2018; 20(3): 223–236. doi:10.1080/14616734.2018.1446741
- 26 Lau Y, Tha PH, Ho-Lim SST et al.: An analysis of the effects of intrapartum factors, neonatal characteristics, and skin-to-skin contact on early breastfeeding initiation. *Matern Child Nutr.* 2018; 14(1). doi:10.1111/mcn.12492
- 27 Madsen S., Lind D, Munck H: Fædres tilknytning til spædbørn. Hans Reitzels forlag; 2002
- 28 Marcu I, Oppenheim D, Koren-Karie N: Parental insightfulness is associated with cooperative interactions in families with toddlers. *J Fam Psychol JFP J Div Fam Psychol Am Psychol Assoc Div* 43. 2016; 30(8): 927–934. doi:10.1037/fam0000240
- 29 McWayne C, Downer JT, Campos R, Harris RD: Father Involvement During Early Childhood and Its Association with Children's Early Learning: A Meta-Analysis. *Early Educ Dev.* 2013; 24(6): 898–922. doi:10.1080/10409289.2013.746932
- 30 Mooney-Leber SM, Brummelte S: Neonatal pain and reduced maternal care: Early-life stressors interacting to impact brain and behavioral development. *Neuroscience.* 2017; 342: 21–36. doi:10.1016/j.neuroscience.2016.05.001
- 31 Moore ER, Anderson GC, Bergman N, Dowswell T: Early skin-to-skin contact for mothers and their healthy newborn infants. *Cochrane Database Syst Rev.* 2012; (5): CD003519. doi:10.1002/14651858.CD003519.pub3
- 32 Mori R, Khanna R, Pledge D, Nakayama T: Meta-analysis of physiological effects of skin-to-skin contact for newborns and mothers. *Pediatr Int Off J Jpn Pediatr Soc.* 2010; 52(2): 161–170. doi:10.1111/j.1442–200X.2009.02909.x
- 33 Redshaw M, Hennegan J, Kruske S: Holding the baby: early mother-infant contact after childbirth and outcomes. *Midwifery.* 2014; 30(5): e177–e187. doi:10.1016/j.midw.2014.02.003
- 34 Roisman GI, Padrón E, Sroufe LA, Egeland B: Earned-Secure Attachment Status in Retrospect and Prospect. *Child Dev.* 73(4): 1204–1219. doi:10.1111/1467–8624.00467
- 35 Saxton A, Fahy K, Hastie C: Effects of skin-to-skin contact and breastfeeding at birth on the incidence of PPH: A physiologically based theory. *Women Birth J Aust Coll Midwives.* 2014; 27(4): 250–253. doi:10.1016/j.wombi.2014.06.004
- 36 Scholz K, Samuels CA: Neonatal Bathing and Massage Intervention with Fathers, Behavioural Effects 12 Weeks after Birth of the First Baby: The Sunraysia Australia Intervention Project. *Int J Behav Dev.* 1992;15(1):67–81. doi:10.1177/016502549201500104
- 37 Sethna V, Perry E, Domoney J et al.: Father-Child interactions at 3 months and 24 months: Contributions to children's cognitive development at 24 months. *Infant Ment Health J.* 2017; 38(3): 378–390. doi:10.1002/imhj.21642
- 38 Shorey S, He H-G, Morelius E: Skin-to-skin contact by fathers and the impact on infant and paternal outcomes: an integrative review. *Midwifery.* 2016; 40: 207–217. doi:10.1016/j.midw.2016.07.007
- 39 Takahashi Y, Tamakoshi K, Matsushima M, Kawabe T: Comparison of salivary cortisol, heart rate, and oxygen saturation between early skin-to-skin contact with different initiation and duration times in healthy, full-term infants. *Early Hum Dev.* 2011; 87(3): 151–157. doi:10.1016/j.earlhumdev.2010.11.012
- 40 Varela N, Tessier R, Tarabulsky G, Pierce T: Cortisol and blood pressure levels decreased in fathers during the first hour of skin-to-skin contact with their premature babies. *Acta Paediatr Oslo Nor* 1992. 2018; 107(4): 628–632. doi:10.1111/apa.14184
- 41 Vreewijk C, Maas AJBM, van Bakel HJA. Parental representations: A systematic review of the working model of the child interview – Vreewijk – 2012 – *Infant Mental Health Journal* – Wiley Online Library. *Infant Ment Health J.* 2012; 33(3): 314–328